

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

Claim 1. (currently amended) A method for providing information to a client browser, the method comprising:

- sending a first request from a client to a server;
- responsive to the first request, initiating a request by the server to create a token;
- responsive to the first request, sending information from the server to the client, the information including at least display data and a first link corresponding to the token but not including the token;
- rendering the display data in a browser of the client;
- sending a second request from the client to the first link, the second request not including the token;
- determining at the first link whether the token is created; and
- if the token is created, sending the token to the client.

Claim 2. (original) A method according to claim 1, further comprising:

- starting a timer after initiating the request to create a token.

Claim 3. (original) A method according to claim 2, further comprising:

- if the token is not yet created, comparing the timer to a predetermined value.

Claim 4. (original) A method according to claim 3, further comprising:

if the timer exceeds the predetermined value, sending a second link to the client,  
the second link corresponding to the token.

Claim 5. (currently amended) Computer executable software code transmitted as  
an information signal, the code for providing information to a client browser, the code  
comprising:

code to send a first request from a client to a server;

responsive to the first request, code to initiate a request by the server to create a  
token;

responsive to the first request, code to send information from the server to the  
client, the information including at least display data and a first link corresponding to the token  
but not including the token;

code to render the display data in a browser of the client;

code to send a second request from the client to the first link, the second request  
not including the token;

code to determine at the first link whether the token is created; and

if the token is created, code to send the token to the client.

Claim 6. (currently amended) A computer readable medium having computer  
executable code stored thereon, the code for providing information to a client browser, the code  
comprising:

code to send a first request from a client to a server;  
responsive to the first request, code to initiate a request by the server to create a  
token;

responsive to the first request, code to send information from the server to the  
client, the information including at least display data and a first link corresponding to the token  
but not including the token;

code to render the display data in a browser of the client;  
code to send a second request from the client to the first link, the second request  
not including the token;

code to determine at the first link whether the token is created; and  
if the token is created, code to send the token to the client.

Claim 7. (currently amended) A programmed computer for providing information  
to a client browser, comprising:

a memory having at least one region for storing computer executable program  
code; and

a processor for executing the program code stored in the memory, wherein the  
program code comprises:

code for providing information to a client browser, the code comprising:  
code to send a first request from a client to a server;  
responsive to the first request, code to initiate a request by the server to create a  
token;  
responsive to the first request, code to send information from the server to the

client, the information including at least display data and a first link corresponding to the token  
but not including the token;

code to render the display data in a browser of the client;

code to send a second request from the client to the first link, the second request  
not including the token;

code to determine at the first link whether the token is created; and

if the token is created, code to send the token to the client.

Claim 8. (new) A method according to claim 1, wherein the token is a cookie.

Claim 9. (new) A method according to claim 1, wherein the first link is a link to a  
clear gif.

Claim 10. (new) A method according to claim 1, wherein the server creates the  
token.

Claim 11. (new) A method according to claim 1, wherein a second server creates  
the token.

Claim 12. (new) A method according to claim 1, wherein the first link is a link to  
the server.

Claim 13. (new) A method according to claim 1, wherein the first link is a link to

a second server.

Claim 14. (new) A method according to claim 1, wherein the first request is an http request.

Claim 15. (new) A method according to claim 1, wherein the token is a slow cookie.

Claim 16. (new) A method according to claim 1, wherein the information includes html.